

Water

Water, like air, is a fluid transparent and vital element. Falmec transfers its experience from one element to the other, presenting a range of solutions for the use of water in the most active environment at home: the kitchen.







The perfect match


Falmec quality for all kitchen elements. From cooker hoods to integrated cooking systems, Falmec is synonymous with excellence, cutting-edge research, design and product culture. A synthesis of the best of Made in Italy that today finds further confirmation and solutions in a range of sinks, taps and accessories to better experience every sensation in the kitchen.

Falmec Water.

The Falmec Water collection stems from the same passion for technological and aesthetic innovation, as well as from the deep care for details that characterize the entire Falmec word. Today hoods, hobs, sinks and taps achieve ideal stylistic and functional harmony, fitting perfectly into the design of the kitchen environment and conveying emotions that last over time.

Details that make the difference

Construction Perfection.
The sinks of the Falmecc Water collection are made of AISI 304 steel, a material that ensures maximum resistance, durability and ease of cleaning. Thanks to the accurate welding process, the internal walls of the sinks are perfectly straight and the bottom has an inclination designed to allow the complete discharge of water. The result is flawless in terms of functionality and in line with contemporary design trends. The steel, with a thickness of 1 mm uniform over the entire surface of the sink, gives the object an absolute solidity and ability to absorb any shocks. A manufacturing quality that is perceived at first sight and lasts over time.



Falmecc Draining System.
The special Falmecc Draining System consists of a round steel cover, inserted flush with the flared drain hole, which guarantees perfect water drainage and easier cleaning. This solution also ensures a perfect visual continuity and uniformity of material on the bottom of the sink, hiding the functional part and creating an absolute balance of geometries.











Integrated overflow hole.
The overflow hole also has a rectangular steel cover that, placed flush on the vertical wall, makes it almost invisible.



Sinks

Como Stainless steel						
	14 Como 3118	15 Como 1831	16 Como 70	17 Como 50	18 Como 45	
						
	19 Como 40	20 Como 34	21 Como 18			
Como PVD						
	24 Como 50 Gunmetal	24 Como 50 Copper	24 Como 50 Gold			
Garda Stainless steel						
	28 Garda 3118	29 Garda 1831	30 Garda 70	31 Garda 50	32 Garda 40	33 Garda 34
Iseo Ceramik						
	36 Iseo 40 Black	37 Iseo 40 White	38 Iseo 5 0 Black	39 Iseo 50 White	40 Iseo 70 Black	41 Iseo 70 White

Water Taps

Pure Steel				
	51 Pure steel Flat	51 Pure steel Round	51 Pure steel Corner	
Trevi				
	55 Trevi Round	55 Trevi Corner	55 Trevi Pro	
Iseo				
	58 Iseo Round	58 Iseo Corner		
Easy				
	59 Easy Square	59 Easy Round		



Sinks

The pure technicality of steel, the seductive glow of precious metals, the innovative synthesis between nature and technology: the sinks of the Falmec Water collection explore different material sensations to give a new aesthetic meaning to water. A complete offer, able to fit into different environments and contemporary furnishing contexts.

Collection

- Como
- Como PVD
- Garda
- Iseo

Como Collection

Essencial by nature.
Conceived to guarantee the absolute perfection of each detail, the sinks of the Como collection, with their essential design, enhance the pure beauty of shape and material.

Made exclusively of AISI 304 steel and offered in different sizes, they fit into any type of kitchen, enhancing aesthetics and functionality, thanks to the professionalism of their design, interpreted in harmony with the environment and domestic needs.



Types of installation

- Flushmount
- Topmount
- Undermount



The internal corners have a 12 mm radius that allows for optimal ease of cleaning and stylistic elegance.

The Falmec Draining System characterizes the sink at first glance.

Features

- AISI 304 18/10 stainless steel
- 1 mm regular thickness
- Inner corners radius 12 mm
- Scotch Brite finish
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Falmec seamless drainage system
- Anti-noise fiber



Como 3118

- AISI 304 18/10 stainless steel
- 1 mm regular thickness
- Inner corners radius 12 mm
- Scotch Brite finish
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Falmeac seamless drainage system
- Anti-noise fiber

Dimensions
Cabinet 60 cm
Ext dimension 555 x 440 mm
Bowl dimension
310 x 400 mm / 180 x 400 mm
Bowl depth 200 / 170 mm

Accessories See page 62



Como 1831

- AISI 304 18/10 stainless steel
- 1 mm regular thickness
- Inner corners radius 12 mm
- Scotch Brite finish
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Falmeac seamless drainage system
- Anti-noise fiber

Dimensions
Cabinet 60 cm
Ext dimension 555 x 440 mm
Bowl dimension
180 x 400 mm / 310 x 400 mm
Bowl depth 170 / 200 mm

Accessories See page 62



Technical Drawings	Codes and finishing	Cut-out size
	Type installation Code SCO3118F.00#SSF Finishing Stainless steel AISI 304	Flushmount Cut-out size: 545 x 430 (with 6mm gaps), 557 x 442 (with 6mm gaps)
	Type installation Code SCO3118F.00#SSF Finishing Stainless steel AISI 304	Topmount Cut-out size: 545 x 430 (with 6mm gaps), 557 x 442 (with 6mm gaps)

Suggested combinations	Type installation	Undermount
Pure steel collection 	Type installation Code SCO3118F.00#SSF Finishing Stainless steel AISI 304	Undermount Cut-out size: 516 x 401 (with 6mm gaps)
Trevi collection 		

Technical Drawings	Codes and finishing	Cut-out size
	Type installation Code SCO1831F.00#SSF Finishing Stainless steel AISI 304	Flushmount Cut-out size: 545 x 430 (with 6mm gaps), 557 x 442 (with 6mm gaps)
	Type installation Code SCO1831F.00#SSF Finishing Stainless steel AISI 304	Topmount Cut-out size: 545 x 430 (with 6mm gaps), 557 x 442 (with 6mm gaps)

Suggested combinations	Type installation	Undermount
Pure steel collection 	Type installation Code SCO1831F.00#SSF Finishing Stainless steel AISI 304	Undermount Cut-out size: 516 x 401 (with 6mm gaps)
Trevi collection 		

Como 70

- AISI 304 18/10 stainless steel
- 1 mm regular thickness
- Inner corners radius 12 mm
- Scotch Brite finish
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Falmecc seamless drainage system
- Anti-noise fiber

Dimensions
Cabinet 80 cm
Ext dimension 740 x 440 mm
Bowl dimension
700 x 400 mm
Bowl depth 200 mm

Accessories See page 62



Como 50

- AISI 304 18/10 stainless steel
- 1 mm regular thickness
- Inner corners radius 12 mm
- Scotch Brite finish
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Falmecc seamless drainage system
- Anti-noise fiber

Dimensions
Cabinet 60 cm
Ext dimension 540 x 440 mm
Bowl dimension
500 x 400 mm
Bowl depth 200 mm

Accessories See page 62



Technical Drawings	Codes and finishing	Cut-out size
	Type installation Code SCO7000F.00#SSF Finishing Stainless steel AISI 304	Flushmount R11 R10 6 730 6 742 6 430 6 442
	Type installation Code SCO7000F.00#SSF Finishing Stainless steel AISI 304	Topmount R10 6 730 430

Suggested combinations	Type installation	Undermount
Pure steel collection 	Type installation Code SCO7000U.00#SSF Finishing Stainless steel AISI 304	Undermount R13 6 701 401
Trevi collection 		

Technical Drawings	Codes and finishing	Cut-out size
	Type installation Code SCO5000F.00#SSF Finishing Stainless steel AISI 304	Flushmount R11 R10 6 530 6 542 6 430 6 442
	Type installation Code SCO5000F.00#SSF Finishing Stainless steel AISI 304	Topmount R10 6 530 430

Suggested combinations	Type installation	Undermount
Pure steel collection 	Type installation Code SCO5000U.00#SSF Finishing Stainless steel AISI 304	Undermount R13 6 501 401
Trevi collection 		

Como 45

- AISI 304 18/10 stainless steel
- 1 mm regular thickness
- Inner corners radius 12 mm
- Scotch Brite finish
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Falmecc seamless drainage system
- Anti-noise fiber

Dimensions
Cabinet 50 cm
Ext dimension 490 x 440 mm
Bowl dimension
450 x 400 mm
Bowl depth 200 mm

Accessories See page 62



Technical Drawings	Codes and finishing	Cut-out size
	Type installation Code SCO4500F.00#SSF Finishing Stainless steel AISI 304	Flushmount
	Type installation Code SCO4500F.00#SSF Finishing Stainless steel AISI 304	Topmount

Suggested combinations	Type installation	Undermount
Pure steel collection 	Type installation Code SCO4500U.00#SSF Finishing Stainless steel AISI 304	
Trevi collection 		

Como 40

- AISI 304 18/10 stainless steel
- 1 mm regular thickness
- Inner corners radius 12 mm
- Scotch Brite finish
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Falmecc seamless drainage system
- Anti-noise fiber

Dimensions
Cabinet 50 cm
Ext dimension 440 x 440 mm
Bowl dimension
400 x 400 mm
Bowl depth 200 mm

Accessories See page 62



Technical Drawings	Codes and finishing	Cut-out size
	Type installation Code SCO4000F.00#SSF Finishing Stainless steel AISI 304	Flushmount
	Type installation Code SCO4000F.00#SSF Finishing Stainless steel AISI 304	Topmount

Suggested combinations	Type installation	Undermount
Pure steel collection 	Type installation Code SCO4000U.00#SSF Finishing Stainless steel AISI 304	
Trevi collection 		

Como 34

- AISI 304 18/10 stainless steel
- 1 mm regular thickness
- Inner corners radius 12 mm
- Scotch Brite finish
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Falmeac seamless drainage system
- Anti-noise fiber

Dimensions
Cabinet 40 cm
Ext dimension 380 x 440 mm
Bowl dimension
340 x 400 mm
Bowl depth 200 mm

Accessories See page 62



Technical Drawings	Codes and finishing	Cut-out size
	Type installation Code SCO3400F.00#SSF Finishing Stainless steel AISI 304	Flushmount
	Type installation Code SCO3400F.00#SSF Finishing Stainless steel AISI 304	Topmount

Suggested combinations	Type installation	Undermount
Pure steel collection 	Type installation Code SCO3400U.00#SSF Finishing Stainless steel AISI 304	
Trevi collection 		

Como 18

- AISI 304 18/10 stainless steel
- 1 mm regular thickness
- Inner corners radius 12 mm
- Scotch Brite finish
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Falmeac seamless drainage system
- Anti-noise fiber

Cabinet 30 cm
Ext dimension 220 x 440 mm
Bowl dimension
180 x 400 mm
Bowl depth 200 mm

Accessories See page 62




Technical Drawings	Codes and finishing	Cut-out size
	Type installation Code SCO1800F.00#SSF Finishing Stainless steel AISI 304	Flushmount
	Type installation Code SCO1800F.00#SSF Finishing Stainless steel AISI 304	Topmount

Suggested combinations	Type installation	Undermount
Pure steel collection 	Type installation Code SCO1800U.00#SSF Finishing Stainless steel AISI 304	
Trevi collection 		

Como PDV Collection

Brilliant design.
The PVD (Physical Vapor Deposition) treatment dresses the steel with an infinitesimal layer of metal particles that are deposited on the surface and become an integral part of it, creating different striking colors. Compared to other chemical finishes, this particular process ensures greater brilliance, resistance and durability. Moreover, it is totally hypoallergenic, non-toxic and eco-friendly.

The irresistible charm of gold, the timeless warmth of copper, the glamorous elegance of matte black help create a kitchen environment full of elegance and prestige.



Gold, gunmetal, copper: Falmec introduces new emotions to the kitchen environment.

The flush-fitting circular lid, coordinated in the sink finish, is a strongly distinctive element of the Como PVD collection.






Como 50 PVD

- AISI 304 18/10 stainless steel with PVD finishing
- 1 mm regular thickness
- Inner corners radius 12 mm
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Falmeac seamless drainage system
- Anti-noise fiber

Dimensions
 Cabinet 60 cm
 Ext dimension 540 x 440 mm
 Bowl dimension
 500 x 400 mm
 Bowl depth 200 mm

Accessories See page 62



Technical Drawings	Codes and finishing	Cut-out size
	Type installation Code SCO5000F.00#PGF Finishing Gold	Flushmount
	Type installation Code SCO5000F.00#PGF Finishing Gold	Topmount
Suggested combinations	Type installation Code SCO5000F.00#PGF Finishing Gold	Undermount
Trevi Round gold finishing 	Trevi Pro gold finishing 	

Como 50 PVD

- AISI 304 18/10 stainless steel with PVD finishing
- 1 mm regular thickness
- Inner corners radius 12 mm
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Falmecc seamless drainage system
- Anti-noise fiber

Dimensions
Cabinet 60 cm
Ext dimension 540 x 440 mm
Bowl dimension
500 x 400 mm
Bowl depth 200 mm

Accessories See page 62













Como 50 PVD

- AISI 304 18/10 stainless steel with PVD finishing
- 1 mm regular thickness
- Inner corners radius 12 mm
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Falmecc seamless drainage system
- Anti-noise fiber

Dimensions
Cabinet 60 cm
Ext dimension 540 x 440 mm
Bowl dimension
500 x 400 mm
Bowl depth 200 mm

Accessories See page 62



Technical Drawings		Codes and finishing		Cut-out size	
		Type installation Code SCO5000F.00#PPF Finishing Gunmetal	Flushmount  		
		Type installation Code SCO5000F.00#PPF Finishing Gunmetal	Topmount 		
Suggested combinations					
Trevi Round gunmetal finishing	Trevi Pro gunmetal finishing	Type installation Code SCO5000F.00#PPF Finishing Gunmetal	Undermount 		
					

Technical Drawings		Codes and finishing		Cut-out size	
		Type installation Code SCO5000F.00#PQF Finishing Copper	Flushmount 		
		Type installation Code SCO5000F.00#PQF Finishing Copper	Topmount 		
Suggested combinations		Type installation Code SCO5000F.00#PQF Finishing Copper		Undermount 	
Trevi Round copper finishing 	Trevi Pro copper finishing 				

Garda Collection

Integrated solution.
Made of hand-welded AISI 304 steel, with a uniform thickness of 1mm to ensure the utmost precision in every detail and a very long life span. The sinks of the Garda collection have a reinforced back side designed for the insertion of taps.



The practical automatic drain valve, with circular button, is available in various finishes to best match the sink or worktop in which it is inserted.

This solution is installed as standard on the sinks of the Garda collection and is optional in the other collections of the Water range.

Available in different sizes to fit easily into any kitchen environment, they stand out for their innovative integrated valve for draining liquids, conveniently located on the edge of the sink, and also for the exclusive Falmec Draining System with a flush-fit lid on the water drain.

- Types of installation**
- Flushmount
 - Topmount
- Features**
- AISI 304 18/10 stainless steel
 - 1 mm regular thickness
 - Inner corners radius 12 mm
 - Scotch Brite finish
 - 200 mm bowl depth
 - Fixing kit included
 - Perimeter overflow
 - Falmec seamless drainage system
 - Anti-noise fiber
 - Automatic drain valve included



Garda Collection



Garda 3118

- AISI 304 18/10 stainless steel
- 1 mm regular thickness
- Inner corners radius 12 mm
- Scotch Brite finish
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Falmecc seamless drainage system
- Anti-noise fiber
- Automatic drain valve included

Dimensions
Cabinet 60 cm
Ext dimension 555 x 510 mm
Bowl dimension
310 x 400 / 180 x 400 mm
Bowl depth 200 / 170 mm

Accessories See page 62



Garda 1831

- AISI 304 18/10 stainless steel
- 1 mm regular thickness
- Inner corners radius 12 mm
- Scotch Brite finish
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Falmecc seamless drainage system
- Anti-noise fiber
- Automatic drain valve included

Dimensions
Cabinet 60 cm
Ext dimension 555 x 510 mm
Bowl dimension
180 x 400 / 310 x 400 mm
Bowl depth 200 / 170 mm

Accessories See page 62



Technical Drawings	Codes and finishing	Cut-out size
	Type installation Code SGA3118F.00#SSF Finishing Stainless steel AISI 304	
	Type installation Code SGA3118F.00#SSF Finishing Stainless steel AISI 304	

Suggested combinations

Pure steel collection



Trevi collection



Technical Drawings	Codes and finishing	Cut-out size
	Type installation Code SGA1831F.00#SSF Finishing Stainless steel AISI 304	
	Type installation Code SGA1831F.00#SSF Finishing Stainless steel AISI 304	

Suggested combinations

Pure steel collection



Trevi collection



Garda 70

- AISI 304 18/10 stainless steel
- 1 mm regular thickness
- Inner corners radius 12 mm
- Scotch Brite finish
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Falmecc seamless drainage system
- Anti-noise fiber
- Automatic drain valve included

Dimensions
Cabinet 80 cm
Ext dimension 740 x 510 mm
Bowl dimension
700 x 400mm
Bowl depth 200 mm

Accessories See page 62



Technical Drawings	Codes and finishing	Cut-out size
	Type installation Code SGA7000F.00#SSF Finishing Stainless steel AISI 304	
	Type installation Code SGA7000F.00#SSF Finishing Stainless steel AISI 304	

Suggested combinations



Garda 50

- AISI 304 18/10 stainless steel
- 1 mm regular thickness
- Inner corners radius 12 mm
- Scotch Brite finish
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Falmecc seamless drainage system
- Anti-noise fiber
- Automatic drain valve included

Dimensions
Cabinet 60 cm
Ext dimension 540 x 510 mm
Bowl dimension
500 x 400 mm
Bowl depth 200 mm

Accessories See page 62



Technical Drawings	Codes and finishing	Cut-out size
	Type installation Code SGA5000F.00#SSF Finishing Stainless steel AISI 304	
	Type installation Code SGA5000F.00#SSF Finishing Stainless steel AISI 304	

Suggested combinations



Garda 40

- AISI 304 18/10 stainless steel
- 1 mm regular thickness
- Inner corners radius 12 mm
- Scotch Brite finish
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Falmec seamless drainage system
- Anti-noise fiber
- Automatic drain valve included

Dimensions
Cabinet 50 cm
Ext dimension 440 x 510 mm
Bowl dimension
400 x 400mm
Bowl depth 200 mm

Accessories See page 62



Garda 34


- AISI 304 18/10 stainless steel
- 1 mm regular thickness
- Inner corners radius 12 mm
- Scotch Brite finish
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Falmec seamless drainage system
- Anti-noise fiber
- Automatic drain valve included

Dimensions
Cabinet 60 cm
Ext dimension 380 x 510 mm
Bowl dimension
340 x 400 mm
Bowl depth 200 mm

Accessories See page 62





Technical Drawings




Codes and finishing


Type installation
Code
SGA4000F.00#SSF
Finishing
Stainless steel
AISI 304



Cut-out size



Type installation
Code
SGA4000F.00#SSF
Finishing
Stainless steel
AISI 304




Suggested combinations

Pure steel collection


Trevi
collection

Technical Drawings




Codes and finishing



Type installation
Code
SGA3400F.00#SSF
Finishing
Stainless steel
AISI 304



Cut-out size



Type installation
Code
SGA3400F.00#SSF
Finishing
Stainless steel
AISI 304



Suggested combinations

Pure steel
collection

Trevi
collection

Iseo Collection

Material innovation.
Composix comes from an avant-garde research: the innovative mix of ceramic nanoparticles and acrylic resins for a material with features that have never been reached before. Composix is made with 6 different resins that make it water-repellent and stain-resistant. This material is also characterized by a perfect uniformity of the surface, which is absolutely smooth and resistant to impact and abrasion.



Available in white or black version, the sinks of the Iseo collection have an essential design, with geometric shapes, conceived to fit perfectly into different kitchen environments, maintaining their aesthetic characteristics and functional performance over time.



Sturdy, smooth and compact, the innovative Composix material of Iseo guarantees chromatic uniformity, long life and ease of cleaning.

Types of installation

- Topmount
- Undermount

Features

- Composix finishing
- 6 mm slim edge
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Materic cover





Iseo 40 Black

- Compositix finishing
- 6 mm slim edge
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Materic cover

Dimensions
Cabinet 45 cm
Ext dimension 456 x 456 mm
Bowl dimension
400 x 400 mm
Bowl depth 200 mm

Accessories See page 62



Technical Drawings	Codes and finishing	Cut-out size
	Type installation Code SIS4000F.00#CBF Finishing Compositix material	Topmount
	Type installation Code SIS4000F.00#CBF Finishing Compositix material	Undermount




Iseo 40 White

- Compositix finishing
- 6 mm slim edge
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Materic cover

Dimensions
Cabinet 45 cm
Ext dimension 456 x 456 mm
Bowl dimension
400 x 400 mm
Bowl depth 200 mm

Accessories See page 62



Technical Drawings	Codes and finishing	Cut-out size
	Type installation Code SIS4000F.00#CWF Finishing Compositix material	Topmount
	Type installation Code SIS4000F.00#CWF Finishing Compositix material	Undermount



Iseo 50 Black


- Composix finishing
- 6 mm slim edge
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Materic cover

Dimensions
Cabinet 60 cm
Ext dimension 556 x 456 mm
Bowl dimension
500 x 400 mm
Bowl depth 200 mm

Accessories See page 62



Technical Drawings	Codes and finishing	Cut-out size
	Type installation Code SIS5000F.00#CBF Finishing Composix material	Topmount
	Type installation Code SIS5000F.00#CBF Finishing Composix material	Undermount



Iseo 50 White

- Composix finishing
- 6 mm slim edge
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Materic cover

Dimensions
Cabinet 60 cm
Ext dimension 556 x 456 mm
Bowl dimension
500 x 400 mm
Bowl depth 200 mm

Accessories See page 62



Technical Drawings	Codes and finishing	Cut-out size
	Type installation Code SIS5000F.00#CWF Finishing Composix material	Topmount
	Type installation Code SIS5000F.00#CWF Finishing Composix material	Undermount



Iseo 70 Black

- Composix finishing
- 6 mm slim edge
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Materic cover

Dimensions
Cabinet 80 cm
Ext dimension 756 x 456 mm
Bowl dimension
700 x 400 mm
Bowl depth 200 mm

Accessories See page 62



Technical Drawings	Codes and finishing	Cut-out size
	Type installation Code SIS7000F.00#CBF Finishing Composix material	Topmount
	Type installation Code SIS7000F.00#CBF Finishing Composix material	Undermount

Suggested combinations

Iseo corner

Iseo round

Trevi collection
black matt

Iseo 70 White

- Composix finishing
- 6 mm slim edge
- 200 mm bowl depth
- Fixing kit included
- Perimeter overflow
- Materic cover

Dimensions
Cabinet 80 cm
Ext dimension 756 x 456 mm
Bowl dimension
700 x 400 mm
Bowl depth 200 mm

Accessories See page 62



Technical Drawings	Codes and finishing	Cut-out size
	Type installation Code SIS7000F.00#CWF Finishing Composix material	Topmount
	Type installation Code SIS7000F.00#CWF Finishing Composix material	Undermount

Suggested combinations

Iseo Corner

Iseo Round



Taps and fittings

Falmec's excellence can be also appreciated in taps and fittings. A selection made with attention to each detail, to satisfy every stylistic and usage requirement, creating the most diverse and fascinating combinations with Falmec sinks and the most varied kitchen countertops.

Collection

- Trevi
- Pure Steel
- Iseo
- Easy

Pure steel

Pure Essence.
A collection of taps made entirely of AISI 304 steel, inspired by a concept of minimalist design and pure technicality, in tune with the daily needs of the domestic kitchen. A natural and totally recyclable element, steel integrates at his best with the Falmec world, perfectly matching the sinks and hoods made of this material.

Several versions are available, with stylistic features and characteristics designed to harmonize in many kitchen environments.



Hygienic, corrosion resistant and easy to clean, AISI 304 steel expresses a superior level of quality in every respect.






Pure steel



Pure steel flat		Pure steel round		Pure steel corner	
Single-lever sink mixer with flat swivel spout 3/8" female connection hoses.		Single-lever sink mixer with round swivel spout and pull out hand shower 3/8" female connection hoses.		Single-lever sink mixer with swivel spout and pull out hand shower 3/8" female connection hoses.	
Stainless Steel MPSF.00#SSF		Stainless Steel MPSR.00#SSF		Stainless Steel MPSC.00#SSF	



Trevi

Elegance and attention to detail.
This collection is characterized by slender and streamlined lines, where each detail is the subject of a precise stylistic and functional study.
A proposal that is articulated in various technical solutions, unique shapes and finishes, including the innovative PVD treatment that allows a perfect match with the sinks of the Como PVD Collection.




With the PVD treatment, metal ions are attracted to the surface of the object, forming an extremely resistant coating.

The choice ranges from the classic Round version, to the contemporary style of Corner, to the Trevi Pro model derived from the professional world.
All Trevi models are equipped with put-out shower to facilitate every washing activity in the kitchen.






Trevi



Trevi Round	Trevi Corner	Trevi Pro
Single-lever sink mixer with round swivel spout and pull out hand shower 3/8" female connection hoses.	Single-lever sink mixer with swive spout and pull out hand shoer3/8" female connection hoses.	Single-lever sink mixer with swivel and adjustable spout 3/8" female connection hoses.
Chrome MTRR.00#CHF Matt black MTRR.00#MBF PVD Brushed Gunmetal MTRR.00#PPF PVD Brushed Copper MTRR.00#PQF PVD Brushed Gold MTRR.00#PGF	Chrome MTRC.00#CHF Matt black MTRC.00#MBF PVD Brushed Gunmetal MTRC.00#PPF PVD Brushed Copper MTRC.00#PQF PVD Brushed Gold MTRC.00#PGF	Chrome MTRP.00#CHF Matt black MTRP.00#MBF PVD Brushed Gunmetal MTRP.00#PPF PVD Brushed Copper MTRP.00#PQF PVD Brushed Gold MTRP.00#PGF




Chrome / Matt black / PVD Gunmetal / PVD Copper / PVD Gold






Iseo Corner		Iseo Round	
Single-lever sink mixer with swivel spout and retractable hand shower 3/8" female connection hoses.	Painted black MISC.00#BLF Painted white MISC.00#WHF	Single-lever sink mixer with swivel spout and retractable hand shower 3/8" female connection hoses.	Painted black MISR.00#BLF Painted white MISR.00#WHF



Easy Square		Easy Round	
Single-lever sink mixer with tubular swivel spout 3/8" female connection hoses.	Chrome MEAS.00#CHF	Single-lever sink mixer with tubular swivel spout 3/8" female connection hoses.	Chrome MEAR.00#CH





Optional and accessories

Washing, draining, cutting, preparing: with the optional extras and accessories tailor-made for the sinks of the Falmec Water collection, every action in the kitchen is even easier, every sensation becomes even more pleasant and satisfying by transforming the washing area into a real food preparation station.

Optional and accessories



Iroko wood chopping board
Iroko wood chopping board 18 mm thickness.
Ext dimension: 330 x 420 mm



Polyethylene chopping board
Polyethylene chopping board 18 mm thickness
Ext dimension: 330 x 420 mm



Rollmat 440 Black Matt
Dimension (mm) 310 x 440 x 10
Avaliable color Black



Automatic waste valve
Black Matt
White Matt
Chrome
Included in Garda Collection



Stainless steel soap dispenser
AISI 304 18/10
Stainless steel satin finish soap dispenser, tank capacity 250 ml. filling from above, it is not necessary to remove the tank.
The soap dispenser can be installed on any type of sink produced by Falmecc.



Stainless steel colander
AISI 304 18/10
Stainless steel colander 1 mm thickness.
Ext dimension: 200 x 440 mm
Int dimension: 155 x 390 mm
Depth: 100 mm



Stainless steel draining tray
AISI 304 18/10
Stainless steel draining tray 1 mm thickness.
Ext dimension: 200 x 440 mm
Int dimension: 155 x 390 mm
Depth: 30 mm



AISI 304 18/10
Stainless steel draining tray 1 mm thickness.
Ext dimension: 370 x 440 mm
Int dimension: 325 x 390 mm
Depth: 30 mm


Installation and maintenance

The anti-corrosion properties of stainless steel decrease under the effect of acids and halogenated compounds (chloride, bromide, iodide). Never use chlorine-based solutions (e.g. bleach). Do not use corrosive substances (hydrogen chloride and acids in general) when cleaning the floor underneath the stainless steel product.

Avoid rust deposits caused by foreign materials, such as steel particles that come from other objects and not directly from the stainless steel product. For example, shavings and metallic powder residue from filing, sanding, drilling operations or the use of inappropriate cleaning instruments (for example, a steel wool pad).

Avoid storing the stainless steel product in a humid environment or near water in order to prevent rust formation.

Incipient rust can be caused by improper storage of the product prior to mounting.



Clean the stainless steel parts daily with the following solutions:

- Water and vinegar (80% water and 20% vinegar)
- Lemon juice dissolved in water
- Non-corrosive and/or non-abrasive household cleansers that do not contain the substances mentioned above.

We recommend washing with warm water. Thoroughly rinse the stainless steel product and dry carefully.

During periods of long activity take the following precautions: vigorously rub all stainless steel surfaces with a cloth lightly soaked in Vaseline so as to create a protective film; air out the room after use.



Falmec S.p.A

via dell'Artigianato, 42 z.i.
31029 Vittorio Veneto
Treviso — Italy
info@falmec.com
falmec.com

Photos
Eye Studio/Fabio Cussigh

Styling
Eye Studio/Beppe Mangia

Graphic Design
Designwork

Texts editing
Daniele Varelli

*Post-production photos
and color separation*
Luce Group

Printed in Italy
©May 2022
Grafiche Antiga

